



## Super Service Trolley

Capacity: 150kg UDL

Construction: Formed and welded rectangular steel tube frame.

Overall H x W x L: 1035 x 525 x 1035mm

Writing tray W x D: 390 x 200mm

Removable basket sizes

H x W x L:	2 x	290 x 385 x 585mm
	1 x	100 x 250 x 385mm

Castors: 4 swivel castors fitted with 125mm dia wheels, and grey non marking rubber tyres.

Trolley fitted with 4 protective revolving corner buffers.

Finish: Red epoxy framework. Baskets white epoxy

Weight: 28kg

Ref: **BT 100**

Many uses  
including  
Stores Offices  
Warehouses  
Schools and  
Mail Centres

## Distribution Trolley

Capacity: 200kg UDL

Construction: Formed and welded steel tube frame.

Overall H x W x L: 1070 x 535 x 1170mm

Removable basket sizes

H x W x L:	320 x 520 x 1055mm
	190 x 520 x 1055mm

Diamond balanced wheel configuration for total manoeuvrability.

Castors: 2 fixed, 2 swivel castors fitted with 160mm dia bright zinc plated wheels with rubber tyres and roller bearings.

Finish: Red epoxy framework. Baskets white epoxy

Weight: 43kg


Ref: **BT 106**

Option

Hook-on end basket

H x W x L: 320 x 115 x 320mm

Ref: **B71**



## Basket and tray trolleys - 3 tier

Capacity 100kg UDL

Ideal trolley for small item handling

3 tier trolley, with bottom parcel grid supplied with choice of:  
2 removable baskets or 2 steel trays.  
(extra baskets or trays available).

Construction: Formed and welded steel tube .

Overall L x W x H: 855 x 430 x 1055mm

Shelf heights without containers:  
170; 455; 810mm

**Model BT109:** 2 removable baskets  
H x W x L: 240 x 305 x 450mm with  
10mm dia top rim.

**Model BT110:** 2 removable steel trays  
H x W x L: 70 x 310 x 465mm

Castors: 4 swivel castors fitted with  
100mm dia wheels, threadguards and  
grey non marking rubber tyres.

Finish: Red epoxy framework. Baskets  
and trays white epoxy.

Weight: BT109 - 18kg, BT110 - 22kg

Ref: **BT 109**

Ref: **BT 110**



Model BT109



Model BT110



## Basket and tray trolleys - 2 tier

Capacity 100kg UDL

Construction: Formed and welded steel tube.

Overall L x W x H: 700 x 435 x 920mm

Shelf heights without containers: 180; 605mm

Model BT107:

2 removable baskets

H x W x L: 240 x 305 x 450mm with

10mm dia top rim.

Model BT108:

2 removable steel trays

H x W x L: 70 x 310 x 465mm

Castors: 4 swivel castors fitted with 100mm dia  
wheels, threadguards and grey non marking  
rubber tyres.

Finish: Red epoxy framework  
Baskets and trays white epoxy.

Weight: BT107 - 15kg, BT108 - 19kg

Ref: **BT 107**

Ref: **BT 108**

**Accessories for all models:**

**Extra baskets**

H x W x L: 240 x 305 x 450mm

Ref: **B107** (each)

**Extra trays**

H x W x L: 70 x 310 x 465mm

Ref: **T108** (each)

**Total stop brakes**

Ref: **B086**



Model BT107



Model BT108



Model 1



Model 2



Model 3

## Mailroom Trolleys

Designed for use in the office mailroom environment. Ideal for distribution of stationery, post and other lightweight items.

Manufactured from tubular steel with wire containers with 25 x 25mm mesh, complete with protective edges.

Castors: 4 x 100mm all swivel stem fitting castors with grey non-marking tyres and thread guards.

Each trolley fitted with rotating corner buffers as standard.

Finish frame red epoxy, baskets white epoxy

Three models:

Model 1	Top tray (with divider)	L x W x H
	Bottom tray	1032 x 502 x 315mm
		1032 x 502 x 85mm

Model 2	6 top pockets	6 x 340 x 502 x 195mm
	Bottom tray	1032 x 502 x 85mm

Model 3	Top tray	1032 x 502 x 85mm
	6 side pockets	1 x 490 x 450 x 375mm
		2 x 490 x 220 x 270mm
		3 x 490 x 580 x 210mm

Optional extra	Total stop brakes
	Ref <b>B051</b> (pair)

Model	O/all L x W x H	Weight	Ref
1	1182 x 597 x 1005 mm	20 kg	<b>BT101</b>
2	1182 x 597 x 1005 mm	24 kg	<b>BT102</b>
3	1182 x 597 x 1005 mm	25 kg	<b>BT103</b>

## Mailroom stairclimber

Tubular steel framework with 2 wire mesh removable baskets.

Frame finished in red epoxy, baskets in white epoxy.

3 x 160mm dia wheels set in star configuration for stairclimbing.

O/a H x W x D:  
1085 x 470 x 610mm

Basket int. W x D x H:  
400 x 245 x 215mm

Top of basket heights from floor: 320 & 805mm

Weight 15kg

Ref **SM25**



## Mailroom trolleys

Ideal for mailroom or office

Smart, durable Postal red frame and white baskets

Capacity: 75 kg  
 Wheels: 2 x 200 mm dia rear wheels, 2 x 75 mm dia. swivel front castors with grey non marking tyres.  
 Finish: Red epoxy frame, white epoxy baskets



Model 1

Model 1  
 Two baskets and sheet steel base  
 Baskets L x W x H: 305 x 450 x 290 mm  
 Clearance between baskets: 275 mm



Model 2

Model 2  
 Two baskets  
 each L x W x H: 305 x 450 x 290 mm  
 Clearance between baskets: 210 mm



Model 3

Baskets can be fitted with rails to accept suspension files  
 Ref: **BTFR**

Model 3  
 Two baskets and base tray  
 Top basket L x W x H: 305 x 450 x 295 mm  
 Lower basket L x W x H: 305x 450x 240 mm  
 Clearance between baskets: 130 mm



Model 4

Model 4  
 Three baskets  
 Top basket L x W x H: 510 x 435 x 295 mm  
 Lower basket L x W x H: 510x 435 x 250 mm  
 Clearance between baskets: 175 mm  
 Rear basket L x W x H: 155 x 280 x 415 mm  
 Front revolving corner buffers.

Model	O/all L x W x H	Weight	Ref
1	680 x 500 x 1070 mm	17 kg	<b>BT619</b>
2	500 x 590 x 1050 mm	14 kg	<b>BT620</b>
3	680 x 510 x 1085 mm	19 kg	<b>BT621</b>
4	800 x 565 x 1040 mm	21 kg	<b>BT622</b>

## Suspended Mail Bag Trolleys

Manufactured from square section steel tube with sheet steel base.  
 Wheels: 4 swivel castors 75mm dia. with grey non-marking tyres.  
 Finish: Red epoxy  
 Steel pegs for hook-on mail bag (bags not supplied)

**Single unit**  
 W x D x H: 395 x 395 x 1120 mm  
 weight: 9 Kg  
 Ref: **BT85**

**Double unit (illustrated)**  
 W x D x H: 765 x 395 x 1120 mm  
 Weight: 16 Kg  
 Ref: **BT86**

Ideal for internal mail collection and distribution

### Single or double bag units



## Post Room Trolley

Capacity 150kg UDL



Ideal for office and mailroom

Tubular steel frame with three steel trays. Back and sides infilled with varnished MDF panels.  
 4 x 100mm swivel castors with grey non-marking tyres and thread guards.  
 Overall L x W x H: 825 x 555 x 1050 mm  
 Shelf L x W: 750 x 500mm  
 Shelf heights: 200; 550; 895mm  
 Total weight: 38kg  
 Red handle Ref: **TT20R**  
 Green handle Ref: **TT20G**  
 Yellow handle Ref: **TT20Y**  
 Blue handle Ref: **TT20B**



1

**Single basket truck**

Blue epoxy frame and handle fitted with 2 swivel 2 fixed castors 125 mm dia. rubber tyred wheels. Roller bearings. Removable basket L x W x H: 805 x 535 x 555 mm



2

**Double basket truck**

Blue epoxy frame and handle fitted with 2 swivel 2 fixed castors 160 mm dia. rubber tyred wheels. Roller bearings. Removable baskets L x W x H: 680 x 480 x 450 mm



3

**Single basket dolly truck**

Blue epoxy frame fitted with 4 swivel castors 125 mm dia. rubber tyred wheels. Roller bearings. Removable basket L x W x H: 680 x 480 x 450 mm



4

**Triple basket truck**

Grey epoxy tubular frame fitted with 4 stem fitting swivel castors with 100 mm dia. grey non-marking tyred wheels with thread guards. Two castors supplied with total stop brakes as standard. Removable baskets L x W x H: 815 x 550 x 180 mm

**Specification for all baskets:**

Angle frame with solid rod top rim.  
Mesh size 25 x 25 mm 12 swg  
Finish: Durable white epoxy

Truck	baskets supplied	O/all L x W x H mm	Basket L x W x H mm	capacity kg	Castor dia.mm	Weight kg	Trucks with baskets Ref	Additional baskets Ref (each)	Total stop brake Ref (pair)
①	1	895 x 550 x 900	805 x 535 x 555	150	125	30	<b>BT81</b>	<b>B81</b>	<b>B032</b>
②	2	1090 x 705 x 985	680 x 480 x 450	250	160	50	<b>BT82</b>	<b>B83</b>	<b>B024</b>
③	1	490 x 460 x 600	680 x 480 x 450	150	125	28	<b>BT83</b>	<b>B83</b>	<b>B032</b>
④	3	900 x 600 x 1115	815 x 550 x 180	150	125	27	<b>BT84</b>	<b>B84</b>	fitted as standard



## Mini Basket Turntable Trailer Capacity 150 kg with removable basket

Greased turntable plate steering with T bar tow handle.  
Fixed rear axle.  
Welded steel angle frame chassis.  
Overall L x W: 950 x 500mm  
Wheels: 160mm dia rubber tyred roller bearings  
Finish: Blue epoxy trailer, white epoxy baskets.

Choice of 2  
basket heights

Baskets: Angle infilled frame with solid rod rim.  
Mesh 25 x 25mm 12swg

Basket Height mm	Basket L x W mm	Deck height mm	Weight kg	Ref
160	935 x 490	215	23	MW22
250	935 x 490	215	24	MW23

### Additional baskets

Height mm	Ref
160	B22
250	B23

## Mini Box Truck Turntable Trailer MW Series

Capacity 150 kg



Fixed timber box body  
mounted into protective  
steel angle frame.

### Available in 2 box heights

Greased turntable plate with T bar tow handle.  
Fixed rear axle.  
Welded steel angle frame chassis.  
Finish: Blue epoxy steelwork  
Wheels: 160 mm dia. rubber tyred roller bearing wheels.

O/a L x W mm	Deck H mm	Sides H mm	Weight kg	Ref
950 x 500	215	145	24	MW20
950 x 500	215	250	26	MW21

## Mini Turntable Trailer

Capacity 150 kg

Office, factory and general use

Tubular steel chassis with plywood deck.  
Deck height: 215mm  
Turntable steering, fixed rear axle.  
Wheels: 160mm dia rubber tyred roller bearings.  
Finish: Blue epoxy  
O/all L x W: 950 x 500 mm

Ref: MW25



**Tradermate**  
Easily transported  
Weighs only 19kg