


EZ LOADER®

AUTOMATIC PALLET POSITIONER

Working Harder To
Make Your Life Easier



Selector Table for EZ-1 Series

Model	Travel	Capacity		Platform Height		Rotator Ring Diameter (A)	Base Frame		Ship Weight
		Minimum	Maximum	Lowered (B)	Raised (C)		Length (D)	Width (E)	
EZ-30	21 1/4"	450 lbs.	3,000 lbs.	8 3/4"	30"	43"	50.5"	30"	500 pounds
EZ-45	21 1/4"	1,100* lbs.	4,500 lbs.	8 3/4"	30"	43"	50.5"	30"	525 pounds

*900 lbs. @ 29" raised height

Optional Models

EZ-30-WDE	USDA accepted washdown package with epoxy finish and stainless steel top - 3,000 lb. capacity
EZ-45-WDE	USDA accepted washdown package with epoxy finish and stainless steel top - 4,500 lb. capacity
EZ-30-FA	Fork access - adjustable leveling feet at four corners of base frame for pallet truck portability - 3,000 lb. capacity
EZ-45-FA	Fork access - adjustable leveling feet at four corners of base frame for pallet truck portability - 4,500 lb. capacity
EZ-30-FHD	Fluid hold down function to hold the EZ Loader in the nearly collapsed position while unloading - 3,000 lb. capacity
EZ-45-FHD	Fluid hold down function to hold the EZ Loader in the nearly collapsed position while unloading - 4,500 lb. capacity
EZ-30-MAR	Manual air release feature that allows the operator to release air from the EZ Loader - 3,000 lb. capacity
EZ-45-MAR	Manual air release feature that allows the operator to release air from the EZ Loader - 4,500 lb. capacity
EZ-30-AAR	Automatic air release function that releases the air from the EZ Loader in the collapsed position - 3,000 lb. capacity
EZ-45-AAR	Automatic air release function that releases the air from the EZ Loader in the collapsed position - 4,500 lb. capacity
EZ-2-25	EZ Leveler for pit mounting with capacity range of 650 - 2,500 lbs.
EZ-2-40	EZ Leveler for pit mounting with capacity range of 2,000 - 4,000 lbs.
EZ-3-25	EZ Veyor with non-rotating roller conveyor top and capacity range of 600 - 2,500 lbs.
EZ-30-SS	EZ Loader in grade 304 stainless steel - 3,000 lb. capacity
EZ-45-SS	EZ Loader in grade 304 stainless steel - 4,500 lb. capacity

SUPPLIED BY:



Manual Handling Solutions
58, Paige Close, Watlington, Kings Lynn
Norfolk PE33 0TQ
Tel 0044 1553 811977 Fax 0044 1553 811004
sales@manualhandlingsolutions.co.uk
www.manualhandlingsolutions.com